




MODULAR CUBICLE SYSTEMS

www.tline.in

TLineTM
Toilet Cubicle System



**INNER
SPACE**

T-Line A Brand Of Inner Space Mumbai

Index

1. About T-Line	01
2. Universal Modules	
Classic Nylon	02 - 03
SS Elegance	04 - 05
SS Grand	06 - 07
Crown	08 - 09
3. Executive Modules	
Top Hung	10
Ceiling Hung	11
Centre Leg	12
4. Premium Modules	
Designer	13
Full Height	14
Full stainless steel	15
5. Education Modules	
Preschool	16
Primary	17
Highschool	18
University	19
6. Urinal Partition & Lockers	
Urinal Partition HPL	20
Urinal Partition Glass	21
Lockers	22 - 23
7. More Products	
Only Door	24
Glass Door	25
Handicap	26
Grab Bar	27
Indicator Lights	28
8. Compact Board Applications	29
9. Project & Client List	30 - 31
10. Cubicle System Detail	32
11. HPL Board Properties	33
10. Technical Data Sheet & Certifications	34
11. T-Line Instant Shadecard	35
12. Gallery	36 - 37



About T-Line

At T-Line, the heart of premium toilet cubicles across Pan-Indian cities; our journey goes beyond installations, it's about infusing technical precision and elegance into every space.

In our 18 years of experience, a strong commitment to time, quality, and customer satisfaction has made T-Line a trusted brand choice for the country's leading developers & architects. With a well-connected service network and ready stock options, we execute timely deliveries and installations.

Making consistent investments in innovation and trials, we are committed to developing new products with superior finishes, made with the best manufacturing techniques. With a wide range of modules for privacy and comfort, it is an immense joy to bring our client's designs to life with quality and durability.

Our mission is to continue being a valued partner to our clients and consistently deliver technical excellence and timely service.

Crafting high-performing toilet cubicles that are **strong, elegant**, and an absolute **delight to use**.

18+ Years

Industry Experience

1,00,000+

Cubicles Installed

3,500+

Satisfied Clients



Service Connectivity



Quick Delivery



After Sales Service



**Pan India Service
And Export**



SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	Nylon Polyamide Grade 6
Section	Aluminium section with black anodised finish/powder-coated

*Nylon hardware in colours grey, off-white & matching powder-coated sections available as per requirement.

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2000(H) mm
Door Size	600(W) x 1800(H) mm
Divider Size	1500(D) x 1800(H) mm
Bottom Gap	135mm-150mm (adjustable leg)

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE



SPECIAL FEATURE

Classic Nylon Leg

Simple, sleek, economical, and true to its name an all-time classic. The module comes with black anodized aluminium sections and black nylon hardware. The leg supports give the restroom a smart finish while also making it easier to clean. Its speedy installation, low cost, and minimal maintenance make it a popular choice in public projects with large quantities and heavy foot traffic.

APPLICATION AREA



SPECIFICATIONS

Boards High-Pressure Laminate (HPL)

Thickness 12/18mm

Hardware Nylon Polyamide Grade 6

Section Aluminium section with black anodised finish/powder-coated

*Nylon hardware in colours grey, off-white & matching powder-coated sections available as per requirement.

DIMENSIONS

Cubicle Size 1000(W) x 1500(D) x 1965(H) mm

Door Size 600(W) x 1800(H) mm

Divider Size 1500(D) x 1800(H) mm

Bottom Gap 115mm high (aluminium black anodised / powder-coated shoebox)

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE




SPECIAL FEATURE

Classic Nylon Shoe

Durability and privacy at an economical price. The black anodized aluminium shoe profile offers frontal coverage, while an added profile in the divider ensures privacy from adjacent cubicles and prevents water passage. Ideal for showers, Indian-style washrooms, and changing rooms. Balancing affordability and performance, it offers privacy and toughness at a budget price.

APPLICATION AREA



SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304
Section	Aluminium section with bright SS anodised finish

*Hardware & section in special anodised colours available as per requirement

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2000(H) mm
Door Size	600(W) x 1800(H) mm
Divider Size	1500(D) x 1800(H) mm
Bottom Gap	135mm-150mm (adjustable leg)

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE




SPECIAL FEATURE

SS Elegance Leg

Top-selling and high-performing module, it has SS 304 hardware and Aluminium SS finish sections. The aluminium sections have a bright anodised SS finish, unique to T-Line. The sleek look of SS 304 legs complemented by SS finished sections elevate the restroom ambience. Built to sustain high traffic, its quality, elegance, and cost-effectiveness makes it the most demanded and proven module in the country.

APPLICATION AREA



SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304
Section	Aluminium section with bright SS anodised finish

*Hardware & section in special anodised colours available as per requirement

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 1965(H) mm
Door Size	600(W) x 1800(H) mm
Divider Size	1500(D) x 1800(H) mm
Bottom Gap	115mm high (Aluminium SS anodised shoe box)

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE




SPECIAL FEATURE

SS Elegance Shoe

The SS Elegance shoe module is designed for privacy and a solid elegant appearance. The aluminium shoebox at the bottom has a unique anodised bright SS finish. It offers frontal coverage, while an added shoe profile in the divider ensures privacy and prevents water passage. Ideal for showers, Indian-style washrooms, and changing rooms. It checks all boxes of privacy, durability, and structural elegance.

APPLICATION AREA



SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304/SS 316
Section	SS 304


*Hardware & section in special anodised colours available as per requirement

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2100(H) mm
Door Size	600(W) x 1920(H) mm
Divider Size	1500(D) x 1920(H) mm
Bottom Gap	135mm-150mm (adjustable leg)

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE




SPECIAL FEATURE


SS Grand Leg

The highly sought-after SS Grand Leg module is a prime choice nationwide. Featuring SS 304 sections with SS 304/SS 316 hardware, this module is fully accessorized with stainless-steel fixtures, ensuring high durability. Favoured by architects for government projects and corporate offices, its versatile application spans various public and private sectors. Engineered to endure high traffic, its metallic shine and brush finish bestows a sophisticated restroom aesthetic.


APPLICATION AREA




Commercial
Corporate Offices
IT Parks
Exhibition Centers




Public Place
Airports
Metro Rail Stations



Leisure
Hotels
Banquets
Mall & Multiplex



Govt projects
Government offices
Library
Legislative Buildings



Enterprise & Retail
Retail Outlet
Showroom
Bigbox Chain

SPECIFICATIONS

Boards High-Pressure Laminate (HPL)

Thickness 12/18mm

Hardware SS 304/SS 316

Section SS 304

*Hardware & section in special anodised colours available as per requirement

DIMENSIONS

Cubicle Size 1000(W) x 1500(D) x 2100(H) mm


Door Size 600(W) x 1950(H) mm

Divider Size 1500(D) x 1950(H) mm

Bottom Gap 100mm high (SS 316 shoebox)

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE



SPECIAL FEATURE

SS Grand Shoe

Acclaimed for its privacy and quality, the Grand shoe module has an SS 316 shoe box at the bottom. The shoe provides frontal coverage, while an added shoe profile in the divider ensures privacy from neighbouring cubicles and blocks the water flow. It provides full privacy for Indian-style restrooms, changing rooms and shower cubicles. As a go-to choice of architects for government and corporate projects, it balances performance with a solid appearance.

APPLICATION AREA



Commercial
Corporate Offices
IT Parks
Exhibition Centers



Public Place
Airports
Metro Rail Stations



Leisure
Hotel
Banquets
Mall & Multiplex



Govt projects
Government offices
Library
Legislative Buildings



Showers & Changeroom

SPECIFICATIONS


Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	Nylon Polyamide Grade 6
Section	Aluminium black anodised finish
Crown	Aluminium black anodised top pipe & Nylon Polyamide Tubular, Elbow, Wall flange

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2050(H) mm
Door Size	600(W) x 1800(H) mm
Divider Size	1500(D) x 1800(H) mm
Bottom Gap	135-150mm nylon adjustable leg/ 115mm aluminium black finish shoebox

*The above size & height are std. They are customized as per the site measurements.

SECTION AND HARDWARE




SPECIAL FEATURE




Nylon Crown

The star feature of the Nylon Crown module is the black anodized round aluminium pipe perimetrating over the cubicle like a crown. It is anchored to the board by tubular brackets. The black crown pipe adds both structural strength and an aesthetic definition. Additionally, the pipe gives extra access height to the cubicle. The crown pipe adds definition and performance to the washroom space.


APPLICATION AREA




Commercial
Corporate Offices
IT Parks
Exhibition Centers




Enterprise & Retail
Showroom
Bigbox Chain
Factory



Leisure
Amusement Park
Hotels
Stadium



Public Place
Airport
Railway Station
Bus Stops



Healthcare
Hospitals
Pharma Companies

SPECIFICATIONS


Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304
Section	Aluminium SS anodised / SS 304
Crown	SS 304 Top Pipe, Tubular, Elbow & Wall Flange

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2050(H) mm
Door Size	600(W) x 1800(H) mm
Divider Size	1500(D) x 1800(H) mm
Bottom Gap	135-150mm adjustable leg/ 115mm aluminium SS finish/ 100mm SS 304 shoebox

*The above size & height are std. They are customized as per the site measurements.

SECTION AND HARDWARE



SPECIAL FEATURE

SS Crown

A strong, polished, round SS 304 brush-finish pipe surrounding the top of the cubicle is anchored to the board by tubular brackets. Sitting atop the cubicle like a dazzling crown, the pipe amplifies the structural strength and style of the cubicle. Additionally, the pipe increases the available height giving more access space. Gaining popularity in the country, the SS crown is becoming the new go-to choice across diverse sectors.

APPLICATION AREA



Commercial
Corporate Offices
IT Parks
Exhibition Centers



Leisure
Mall & Multiplex
Hotels & Banquets



Public Place
Airports
Metro Rail Stations
Stadiums



Govt projects
Government Offices
Library
Legislative Buildings



Enterprise & Retail
Showroom
Bigbox Chain

SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304/SS 316
Section	Aluminium SS anodised / SS 304
Top Profile	60mm X 125mm high aluminium (powder coated)

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2080(H) mm
Door Size	600(W) x 1800(H) mm
Divider Size	1500(D) x 1800(H) mm
Bottom Gap	150mm

*The above size & height are std. They are customized as per the site measurements.

SECTION AND HARDWARE



SPECIAL FEATURE

Top Hung

The Top Hung module integrates intelligent design and visual beauty. Sturdy brackets are fixed to the wall on which a heavy, load-bearing aluminium powder-coated top profile is suspended. No floor contact design ensures one swipe cleaning, no dirt accumulation, and impeccable hygiene- ideal for pharma factories. The floating cubicle adorned with a stylish top rail has made a place among architects for upscale corporate projects.

APPLICATION AREA



Commercial
Corporate Offices
IT Parks



Healthcare
Hospitals
Pharma Companies
Clean Rooms



Leisure
Hotel & Banquets
Mall & Multiplex



Enterprise & Retail
Food Factory
Mega Kitchen



Public Place
Airports
Metro Rail Stations

SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304
Section	Aluminium SS anodized / SS 304
Top Suspension	Concealed- Aluminium / MS Fabrication

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2400 / 2700(H) mm
Door Size	600(W) x 1800(H) mm
Divider Size	1500(D) x 1800(H) mm
Bottom Gap	150mm

*The above size & height are std. They are customized as per the site measurements.

SECTION AND HARDWARE



Ceiling Hung

The Ceiling Hung Module embodies elegance and fine engineering. The majestic ceiling touch panels have a concealed MS suspension. Additionally, the ceiling mount eliminates floor contact for easy cleaning ensuring impeccable hygiene. The fine fabrication, with tall panels in rich colours, seamlessly adds to the architectural finesse of corporate spaces.

APPLICATION AREA



Commercial
Corporate Offices
IT Parks
Exhibition Centers



Healthcare
Hospitals
Pharma Company
Clean Rooms



Leisure
Hotel & Banquets
Mall & Multiplex



Enterprise & Retail
Food Factory
Mega Kitchen



Public Place
Airports
Metro rail stations

SPECIFICATIONS



Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304
Section	Aluminium SS anodised or powder coated / SS 304

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2100(H) mm
Door Size	600(W) x 1920(H) mm
Divider Size	1500(D) x 1920(H) mm
Bottom Gap	135mm-150mm (adjustable leg)

*The above size & height are std. They are customized as per the site measurements.

SECTION AND HARDWARE



SPECIAL FEATURE

Centre Leg Rebate

The module offers a sleek appearance with a flushed façade. The bottom leg is fixed in the divider and no profile or section in the front and the bottom. This gives the illusion of a self-standing floating cubicle. The door and front panel have a rebate edge creating a seamless joint upon closure. All these small elements combined give an uninterrupted, flushed appearance, popular in high-end corporate installations.

APPLICATION AREA



Commercial
Corporate Offices
IT Parks
Exhibition Centers



Leisure
Mall & Multiplex
Hotel & Banquets



Enterprise & Retail
Showroom
Bigbox Chain



Healthcare
Hospitals
Pharma Companies
Clean Rooms



Public Place
Airports
Metro Rail Stations
Clean Rooms

SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304
Section	Aluminium section with bright SS anodised finish


*Nylon hardware in different colours & matching sections available as per requirement.

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2100(H) mm
Door Size	600(W) x 1920(H) mm
Divider Size	1500(D) x 1920(H) mm
Bottom Gap	135mm-150mm adjustable leg / 115mm shoe box

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE



SPECIAL FEATURE

Designer

Toilet cubicles and changing room partitions are neatly cut using CNC and jet machining in custom-tailored shapes. The standout feature of the module is the high-quality, replaceable vinyl screen print on the partitions, displaying artistic designs, logos, themes, or pictures. They are especially popular in gyms, showers, kids playrooms, fashion stores, amusement parks, malls and clubs—adding a stylish and engaging touch to these spaces.

APPLICATION AREA



Sports
Gym
Club House
Stadium



Leisure
Mall & Multiplex
Restaurants & Lounge
Amusement Parks



Enterprise & Retail
Food Court
Showroom
Bigbox Chain



Game zone
PlayArea



Showers & Changeroom

SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304
Section	Aluminium SS anodised or powder coated / SS 304

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2400 / 2700(H) mm
Door Size	600(W) x 2100(H) mm
Divider Size	1500(D) x 2300(H) mm
Gap	30mm at top & bottom of the door & divider

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE



Full Height

The Full Height Toilet Cubicle design prioritizes absolute privacy, extending from the floor to the ceiling. Highly sought-after in several applications, these are floor touch units with a minimum gap of 30mm at the door top and bottom. Being a one-piece continuous front, door, and divider panel, it is robust and blocks unwanted attention. Additionally, long panels in rich, solid, and wooden colors impart a regal and opulent ambiance to the restroom space.

APPLICATION AREA

Commercial
Corporate Offices
IT Parks
Exhibition Centers

Leisure
Mall
Hotels
Spa

Govt projects
Government Offices
Library
Legislative Buildings

Public Place
Airports
Metro Rail Stations
Public Toilets

Showers & Changeroom

SPECIFICATIONS

Panel 25mm thick- SS 304 outer plates with aluminium honeycomb core

Hardware SS 304 / SS 316

Section SS 304 / SS 316

*Special Ceiling Hung module & Urinal Partition option available as per requirement

DIMENSIONS

Cubicle Size 1000(W) x 1500(D) x 2000(H) mm

Door Size 600(W) x 1800(H) mm

Divider Size 1500(D) x 1800(H) mm

Bottom Gap 135-150mm SS 304 adjustable leg / 100mm high SS 316 shoe profile

*The above size & height are std. They are customized as per the site measurements.

SECTION AND HARDWARE



SPECIAL FEATURE

Full Stainless-Steel

Introducing our star module—a product made with extensive research and trials. A 25mm robust panel with a honeycomb core sandwiched between two SS304 sheets. Additionally the refined brush finish on the sheets adds a touch of finesse. Its full metal composition grants it a good fire rating and its antibacterial surface make it ideal for pharmaceutical, food factories, and clean rooms. T-Line stands as its exclusive pioneer and manufacturer in India.

APPLICATION AREA



Healthcare
Hospitals
Pharma Company



Clean Room
Manufacturing Units
Laboratory



Enterprise & Retail
Mega Kitchen
Food Factory



Public places
Metro Rail Station
Airport

SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12mm
Hardware	SS 304
Section	Aluminium section with bright SS anodised finish

*Nylon hardware in different colours & matching sections available as per requirement.

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 1500(H) mm
Door Size	600(W) x 1200(H) mm
Divider Size	1500(D) x 1200(H) mm
Bottom Gap	135-150mm adjustable SS 304 leg / 115mm high aluminium SS finish shoebox

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE



*Note: Customised size, shapes, Vinyl print available as per the requirement

Preschool

Tiny cubicles in bright colours and groovy shapes make restroom time fun & imaginative. The curves & slopes are custom-cut using CNC & jet machining and edges are rounded for safety. Replaceable vinyl films with shapes, numbers and stories engage the children, making boring toilet task fun. Low height cubicle allows for teacher's assistance & antibacterial boards enhance the restroom hygiene. The cubicles are fun, safe, and easy to clean.

APPLICATION AREA



Education
Preschool
Kindergarten



Creches
Play areas



Daycare



Game zone
Mall
Amusement Parks



Waiting Area
Convention Centers
Restaurants

SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12mm
Hardware	SS 304
Section	Aluminium section with bright SS anodised finish

*Nylon hardware in different colours & matching sections available as per requirement.

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2000(H) mm
Door Size	600(W) x 1350(H) mm
Divider Size	1500(D) x 1350(H) mm
Bottom Gap	135-150mm adjustable SS 304 leg / 115mm high aluminium SS finish shoebox

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE



*Note: Customised size, shapes, Vinyl print available as per the requirement

Primary School

Module for kids of ages 5 and above, it encourages independence, and the increased cubicle height ensures privacy. The lock slot allows quick opening from the outside in case of emergencies. The scratch and graffiti resistance keeps the surface elegance intact while the antibacterial boards ensure a hygienic restroom. Easy to clean, it provides a safe, vibrant, and fun bathroom experience for the children.


APPLICATION AREA


Education
Schools
Hostels


Creches
Play Areas


Daycare


Game zone
Mall
Amusement Parks


Waiting Area
Convention Centers
Restaurants

SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12mm
Hardware	SS 304
Section	Aluminium section with bright SS anodised finish

*Nylon hardware in different colours & matching sections available as per requirement.

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2000(H) mm
Door Size	600(W) x 1800(H) mm
Divider Size	1500(D) x 1800(H) mm
Bottom Gap	135-150mm adjustable SS 304 leg / 115mm high aluminium SS finish shoe box

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE




*Note: Customised size, shapes, Vinyl print available as per the requirement

High School

A strong and durable toilet structure for ages 12 and above- it is tough, vandal-resistant, and virtually unbreakable. Taller doors and dividers ensure privacy, safety, and space. Indicator locks have external opening slots for any emergencies. Scratch and graffiti-resistant boards facilitate easy cleaning of all pen marks. Antibacterial surfaces ensure student safety and hygiene. Recognising school regulations, all installations are executed before the school resumes operation.

APPLICATION AREA



SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304
Section	Aluminium section with bright SS anodised finish

*Nylon hardware in different colours & matching sections available as per requirement.

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2000(H) mm
Door Size	600(W) x 1800(H) mm
Divider Size	1500(D) x 1800(H) mm
Bottom Gap	135 - 150mm adjustable SS 304 leg / 115mm high aluminium SS anodised shoe box

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE



University

Charming, durable, and built for high traffic and frequent usage. Graffiti-resistant boards allow easy cleaning of pen marks and prevent defacing of the cubicles, protecting the elegance of the washroom for years. Deep solid colours and rich wooden finishes complement the college décor and add to the institute ambiance. The boards are antibacterial and easier to clean and maintain, creating a safe and hygienic environment.

APPLICATION AREA



Education
University
College
Hostel



Leisure
Auditorium
Cafeteria



Sports
Sports Court
Locker Room
Stadium



**Showers &
Changeroom**

SPECIFICATIONS

Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304 / Nylon Polyamide "L" Bracket

DIMENSIONS

Size	400mm(W) x 900mm(H)
Privacy Panel	600mm(W) x 1800mm(H)
Bottom Gap	300 – 450mm

*Customised size, height & shapes available as per the requirement

SHAPES




CHAMFER



DYNAMIC



STRAIGHT



SEMI-CHAMFER



HALF MOON



WINGS



CUSTOM

HARDWARE



NYLON BRACKET



SS 304 BRACKET

Urinal Partition HPL

HPL urinal partitions are superior in performance and hygiene. The surfaces are anti-fungal, and antibacterial, making the cleaning process easy and the restroom hygienic. Fixed securely with sturdy SS wall brackets, the modular design enables easy removal and reuse without any damage. Partitions in rich colors and textures when tuned with fine tiles create an impressive toilet block that is a delight to see and use. Brilliant shapes with chamfered corners and polished edges give the restroom space an organized and exquisite look.

APPLICATION AREA



Commercial
Corporate Offices
IT Parks



Leisure
Mall & Multiplex
Hotel & Banquets
Amusement Parks



Public Place
Airport
Metro Rail Station
Bus Stations



Education
School
University
Hostel



Sports
Gym
Club House
Sports Club

SPECIFICATIONS

Glass 12mm thick, both side acid frosted toughened glass

Hardware SS 304 "L" bracket

*Milky white and coloured glass options available as per requirement.

DIMENSIONS

Size 450mm(W) x 900mm(H)
600mm(W) x 1200mm(H)

Bottom Gap 300 – 450mm

*Customised size, height & shapes available as per the requirement

SHAPES



CHAMFER



DYNAMIC



STRAIGHT



SEMI-CHAMFER



HALF MOON



WINGS

HARDWARE



SS 304 BRACKET

Urinal Partition Glass

A 12mm thick high-quality toughened glass is acid frosted on both sides for full opacity. It features predrilled holes for easy fixing with sturdy SS wall brackets. The frosty texture, chamfered corners, and smooth edges make the restroom charming and elegant. A modern alternative to traditional stone and ceramic partitions, they are reusable, quick to install and easy to clean.

APPLICATION AREA



Commercial
Corporate Offices
IT Parks
Exhibition Center



Leisure
Mall & Multiplex
Hotel & Banquets
Restaurants



Sports
Club House
Sports Club



Public places
Airport
Metro Rail Station



Enterprise & Retail
Retail Fashion Outlets
Showroom

Locker Range

The T-Line locker range addresses the drawbacks of traditional metal and wooden lockers. Made with high-density PVC (HDP), it is termite-proof, corrosion-resistant, and does not require repainting. Panels of 15mm thick HDP and 1mm thick HPL laminate have a rigid PVC beading around each door panel for a smooth finish. Ideal for wet areas, it is water-resistant and antibacterial. With SS fittings, cam & numeric locks, and customized size, shape, and tiers, it embraces enhanced features, ease of use, and splendid appearance.

SPECIFICATIONS

Door Board	15mm Thick High Density Pvc (HDP)
Door Finish	1mm Thick HPL Colour Laminate & Pvc Beading On All 4 Sides
Side & Top panels	15mm Thick HDP & 1mm Thick Laminate On Outer Side
Bottom skirting	15mm Thick HDP & 1mm Thick Laminate On Outer Side
Back panel	8mm Thick HDP
Divider panels	15mm Thick HDP
Hardware	SS 304 (Hinge, Lock, Handle)

DIMENSIONS

Unit Size	1200(W) X 400(D) X 1800(H) + Bottom Stand
Bottom skirting	100mm(H) Stand
Locker Size	300 x 300, 300 x 450, 300 x 600, 300 x 900, 300 x 1800mm

No. of Compartments	4, 8, 12, 16, 24 (in 1 unit)
----------------------------	------------------------------

*Customised sizes available as per requirement & available space at the site.

3 TIER

APPLICATION AREA



Education
School
University
Hostel



Commercial
Corporate Office
IT Park
Call Centers



Enterprise & Retail
Factory
Big Box Chain
Supermarket



Sports
Gym
Club House
Sports Complex



Leisure
Amusement Parks



1 TIER

2 TIER

4 TIER

5 TIER

Z LOCKER

MOBILE LOCKER

Hardware



Hinge



Hanger Rod



Inbuilt Lock



Numeric Lock



Handle



Handle



SPECIFICATIONS


Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304 / Nylon Polyamide Grade 6
Section	Aluminium section with anodised SS finish or black finish / powder-coated

DIMENSIONS

Door Size	600mm x 1800mm / 700mm x 2100mm
Top & Bottom Gap	50 - 150mm

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE



SPECIAL FEATURE

Only Door

Incorporating HPL doors in brick walls without disrupting the masonry work, they are particularly valuable during renovation projects. The HPL doors have a longer life, are waterproof, termite resistant, antibacterial and require less maintenance than traditional wooden doors. Very quick and easy to install, the door is fixed using a specially designed aluminium profile. The use of HPL doors with brick walls gives the restroom a retrofit contemporary look.

APPLICATION AREA

Commercial
Corporate Offices
IT Parks
Exhibition Centers

Leisure
Mall
Food Court
Restaurants

Public Place
Railway Stations
Bus Stops
Public Toilets

Healthcare
Clinics
Hospitals

Enterprise & Retail
Factory
Warehouse
Retail changing room

SPECIFICATIONS

Door Panel	11.4mm Toughened Milky PVB Sandwich Glass
Front & Divider	12mm Thick HPL Board
Hardware	SS 304
Section	Aluminium section with bright SS anodised finish
Glass Colour	Coloured glass options available as per requirement

DIMENSIONS

Cubicle Size	1000(W) x 1500(D) x 2000(H) mm
Door Size	600(W) x 1800(H) mm
Divider Size	1500(D) x 1800(H) mm
Bottom Gap	135 - 150mm adjustable SS 304 leg / 115mm aluminium SS finish shoebox

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE



SPECIAL FEATURE



Glass Door

A brilliant combination of 2 charming materials- toughened glass door and HPL panels. The 11.4mm glass door features a high-quality toughened sandwich glass with a PVB layer in between. The pre-drilled holes allow easy hardware fixing and the elegant SS 304 hinge button covers give a sublime finish. HPL panels complimented with toughened glass doors create an exotic restroom ambience.

APPLICATION AREA



Commercial
Corporate Offices
IT Parks
Exhibition Centers



Leisure
Mall & Multiplex
Hotels
Banquets



Sports
Gym
Club House
Sports Club



Showers & Changeroom



Enterprise & Retail
Retail Fashion Outlets
Showroom

SPECIFICATIONS


Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304
Section	Aluminium section with bright SS anodised finish

DIMENSIONS

Cubicle Size	1600(W) x 1600(D) x 2000(H) mm
Door Size	900(W) x 1800(H) mm
Divider Size	1600(D) x 1800(H) mm
Bottom Gap	135mm-150mm (adjustable leg)

*The above size & height are standard. They are customized as per the site measurements.

SECTION AND HARDWARE



Handicap

The Handicap module complies with ADA standards, providing a, 900mm wide, outward opening door for easy wheelchair entry and a spacious 1600mm width and depth for free wheelchair movement inside the cubicle. Additionally fixed and fold able grab bars provide support and balance, and the antibacterial boards and SS 304 fittings ensure good hygiene. This is a well-equipped, fully accessible, safe, and comfortable restroom for the physically different and elderly users.

APPLICATION AREA



Healthcare
Clinics
Hospitals



Public places
Airport
Metro Rail Station
Tourist Place



Leisure
Mall & Multiplex
Hotels
Restaurants



Education
School
University
Hostel



Enterprise & Retail
Retail Fashion Outlets

SPECIFICATIONS

Material	SS 304
Diameter	32mm OD
Coating	Nylon Polyamide
Nylon Colours	White, Yellow <input type="radio"/> <input checked="" type="radio"/>
Shapes	Straight, 90°, 135°, U Shaped – Fixed & Foldable, Vertical, And Horizontal
Sizes	300mm, 450mm, 600mm, 750mm
Custom	Sizes Available For Bulk Requirements.

Grab Bar System

Made from high-quality SS 304, the grab bars have a high load-bearing capacity and provide good balance and support. They make toilets well-equipped for all users. Additionally, grab bars with a nylon coating and embossed pattern make the grip tight, secure and significantly reduce slipping. The nylon-coated surface remains unaffected in extreme temperatures making them ideal for use in hot and cold places. Essential in restrooms, elevators, bus and train stations, grab bars are a big relief for the elderly, pregnant and the differently abled users.

Grab bars provide a safe and comfortable toilet experience for all.

APPLICATION AREA



Healthcare
Clinics
Hospitals



Special use
Old Age Homes
Specially Abled
Education Center



Education
School
University
Hostel



Public places
Airport
Metro Rail Station
Bus Stations



Leisure
Mall & Multiplex
Amusement Park

GRAB BAR



Corner



L



135



Foldable



Fixed



Straight



Corner



L



135



Foldable



Fixed



Straight

SPECIFICATIONS


Boards	High-Pressure Laminate (HPL)
Thickness	12/18mm
Hardware	SS 304
Section	Aluminium section with bright SS anodised finish

INDICATOR LIGHT

The LED light is connected to the lock via a connection passing through the “h” profile / rebate edge. The lock has a provision for a switch circuit. The driver is concealed inside the top rail or fixed atop on the inside of the front panel and the power supply is provided from one end of the toilet block near the top rail.

- *Indicator lights can be provided in all T-Line modules except low height kids module.
- *Indicator light shape, size, and design options available as per requirement.

SECTION AND HARDWARE



SPECIAL FEATURE



Indicator Lights

Public restrooms at airports, malls, and stadiums often face heavy foot traffic and long queues. Waiting for a cubicle, only to find another one was vacant the whole time, can be frustrating. T-Line occupancy-vacancy Indicator Lights, featuring stylish Red-Green LED lights on the front panel, provide a clear indication of cubicle occupancy and vacancy status. These lights are visible as users enter the restroom, allowing them to make informed cubicle choices. This system optimizes stall usage and reduces long queues and overcrowding.

APPLICATION AREA

Public places
Airport
Tourist Places

Leisure
Mall
Multiplex
Stadium

Enterprise & Retail
Retail Fashion Outlets
Big Box Chain

Commercial
Exhibition
Convention Center

Change room

Compact Board Applications

29



Interior Wall Panelling



Toilet Wall Panelling



Cabinet Unit



Table Tops



Vanity Unit




Laboratory Countertop



Notable Projects

30


Highlighting some of our notable projects- A commitment to building elegant toilet cubicles backed by our solid infrastructure, efficient logistics, and skilled manpower has been essential in the successful execution of these high-value projects. Working at massive corporate spaces or iconic public installations, across geographical boundaries and spanning diverse sectors, our commitment to technical precision and service has ensured timely delivery and top-tier execution.




Reliance Twin Tower, Navi Mumbai



L&T Infotech Mahape, Mumbai





IKEA, Navi Mumbai



Phoenix Marketcity Kurla, Mumbai


Client List






Cubicle Systems

32



HPL Board Properties



HPL compact laminate core is made up of layers of kraft papers saturated with phenolic resin which determines the thickness of the board. A decorative paper on the top and bottom is saturated with a special melamine resin which determines the design and colour. A clear top overlay paper improves the resistance of materials regarding abrasion, scratch and heat. Layers are manufactured under the application of high heat and high pressure (≥ 1000 PSI) in which thermosetting resin curing makes strong irreversible bonds creating a single rigid laminated sheet with density (≥ 1350 kg/m³) and weight (1.66 kg/sq ft). The board is manufactured as per IS 2046 and EN 438 std.



Chemical Resistant



Durable



Fast Assembly



High Temperature,
Humidity Resistant



Noise Reduction
System



Fun To use



Water &
Moisture Resistant



Easy To Clean



Attractive



Flame Retardant



Fast Installation



Range Of Colours



Graffiti &
Pen Mark Resistant




Safe & Hygienic




Flexibility In Design


Toilet Block Layout



1 Side Wall



2 Side Wall



3 Side Wall




Technical Data Sheet

12mm Thick High-Pressure Laminate (Compact Board).


SR. NO.	PROPERTIES	UNIT OF MEASUREMENT	SPECIFICATIONS AS PER EN 438- 4	RESULTS OBTAINED
1	Thickness	MM	12.0mm \pm 0.60mm 18.0mm \pm 0.70mm	\pm 0.40mm \pm 0.50mm
2	Resistance To Surface Wear	Revolutions	350 min.	410
3	Resistance To Immersion In Boiling Water	% % Rating	Mass Increase- $2 \leq$ Thickness Increase- $2 \leq$ Appearance - Suede Finishes ≥ 4	0.80 0.90 5
4	Resistance To Water Vapor	Rating	Appearance - Suede Finishes ≥ 4	5
5	Resistance To Dry Heat@180°C	Rating	Appearance - Suede Finishes ≥ 4	5
6	Dimensional Stability At Elevated Temperature	Longitudinal %	0.30	0.20
		Transversal %	0.60	0.40
7	Resistance To Impact By Large Diameter Ball	MM	Drop Height - 1800mm	1800
		MM	Indent Dia - 10mm - Max	6
8	Resistance To Crazing	Rating	Appearance ≥ 4	≥ 4
9	Resistance to Scratching	Rating	Appearance - Smooth Finish ≥ 2.5	≥ 2.5
		Rating	Appearance - Textured Finish ≥ 3.5	≥ 3.5
10	Resistance to Staining	Rating	Appearance Group 1 & 2- ≥ 5	≥ 5
		Rating	Appearance Group 3- ≥ 4	≥ 4
11	Light Fastness (Xenon Arc)	Grey Scale Rating	Contrast 4 to 5	4 to 5
12	Resistance to Cigarette burns	Rating	Appearance: 3	≥ 3
13	Flexural Modulus	Mpa	Stress ≥ 9000	9000 - 11500
14	Flexural Strength	Mpa	Stress ≥ 80	80 - 100
15	Tensile Strength	Mpa	Stress ≥ 60	60 - 90
16	Density	gm/cm3	Density 1.35 - 1.45	1.4 \pm 0.05




1082 Clinical White



1020 Off White




1083 Half Beige



871 Beige



1033 Tidal Sand



860 Silver Grey



1084 Munso White



8117 Warm Grey



874 Grey Drawbench
Titan



873 Dark Grey



15 Yellow




8522 Orange



872 Vodafone Red



865 Parrot Green



853 Royal Blue




903 Mountain Larch



908 Thansau Maple



892 Urban Teak



912 Light Noce Versailles



7717 Vegas Walnut




905 Modern Noce
Versailles















901 Straight Grained
Wenge





Available at your doorstep 24X7







"AN ELEGANT COMBINATION OF SPACE & HYGIENE"



+91 9820105962 | +91 9820914992

info@tline.in | innersp@gmail.com

707, Fly Edge, Kora Kendra Flyover, Junction,
Swami Vivekananda Rd, Borivali (W), Mumbai, Maharashtra- 400092